

ADVANCING VACUUM TECHNOLOGY

NEW 2015 NaceCare Vacuum System




NACECARE™
SOLUTIONS
Clarity in Cleaning

NaceCare Vacuums

Advancing Vacuum Technology

NaceCare is significantly improving the industries leading **Canister and Backpack** programs;

- By recovering 20% more soil.
- By reducing energy consumption over 40%.
- By reducing noise levels
- By doubling motor life - your machines will now last twice as long.



Recovering 20% More Soil Means

- Cleaner buildings and higher cleaning standards
- Improved carpet appearance
- Better Indoor Air Quality (IAQ)
- Longer carpet life (asset preservation)
- Improved cleaning due to better vacuum performance
- CRI approved and LEED-EB compliant



Reducing Energy Consumption by 40% Means

- A more sustainable approach to cleaning
- Reduced energy costs with no negative effects on cleanliness or carpet appearance





Reducing Noise Levels Means

- Better for the building occupants with less interruption
- Permits more areas to be daytime cleaned, even more sustainable
- **Canister vacuums are now 47/45 dB(A) from 49/47 dB(A)**
- **Backpack vacuums are now 52 dB(A) from 65 dB(A)**



*Behind every great vacuum....
is a great motor!*



Increasing Motor Life to 2000+ Hours Means

- Longer machine life and less down time
- Lower cost of operation
- The current motor life of an upright is 500 - 800 hours
- The current motor life of a canister and backpacks is 700 - 1000 hours
- **Our motor life is in excess of 2000 hours**
- **Our motor warranty is 5 years***

Other Improvements Coming in the New Year.

- The tapered hose provides the convenience and ease of use of a 1 1/4" hose with the performance and lack of clogging of a 1 1/2" hose.
- Standard on all rewind, backpack and battery vacuum models is our new ergonomic ratchet wand that adds up to 6" in length.
- Our new floor tool program improves performance, productivity and ease of use.

*Please see the NaceCare warranty policy for full details

Dry Vacuum Specs

2014 Dry Vacuum Specifications
2015 Dry Vacuum Specifications

PRODUCT NAME	PSP 200 / 380	PSP 200 / 380	PVR 200 / 380 / 390	PPR 200 / 380 / 390	RSV 130 / 200	RSV 130 / 200
Motor	1200 Watt, 1.6 HP	680 Watt, 0.9 HP	1200 Watt, 1.6 HP	680 Watt, 0.9 HP	1200 Watt, 1.6 HP	680 Watt, 0.9 HP
Stage / Speeds	2 Stage / 2 Speed	1 Stage / 1 Speed	2 Stage / 2 Speed	1 Stage / 2 Speed	1 Stage / 1 Speed	1 Stage / 1 Speed
Motor Life	1000 - 1100 hours	2000 + hours	1000 - 1100 hours	2000 + hours	1000 - 1100 hours	2000 + hours
Noise Level	47 / 49 dBA	45 / 47 dBA	47 / 49 dBA	45 / 47 dBA	65 dBA	52 dBA
Soil Recovery	71%	84%	71%	84%	71%	84%
Water Lift	110 inches	100 inches	110 inches	100 inches	115 inches	100 inches
Airflow	115 CFM	120 CFM	114 CFM	120 CFM	114 CFM	120 CFM
Filtration	0.3 Micron @ 98.6%	0.3 Micron @ 98.6%	0.3 Micron @ 99.97%	0.3 Micron @ 99.97%	0.3 Micron @ 99.97%	0.3 Micron @ 99.97%
Power Cord	33 feet	33 feet	33 feet	33 feet	42 feet	42 feet



1205 Britannia Road East,
Mississauga, Ontario, L4W 1C7
1.800.387.3210 TOLL-FREE
1.800.709.2896 FAX
www.nacecare.com

